

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20030063518"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/09/08 08:15
S2	58	breakdown adj phenom\$4 NEAR5 dielectric	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/06 21:34
S3	58	(breakdown or (breask adj1 down)) adj phenom\$4 NEAR5 dielectric	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/09/08 08:10
S4	10615	select\$6 adj transistor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/09/08 08:16
S5	10274	select\$5 adj (wordline or (word adj1 line))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/09/08 08:16
S6	5	column adj3 current near3 control\$6 adj transistor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/09/08 08:17
S7	1917	S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/09/08 08:17
S8	2	S6 and S7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/09/08 08:18
S9	1588	(wordline or (word adj1 line)) adj decoder	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/09/08 08:19
S10	220	S7 and S9	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/09/08 08:19
S11	91	activat\$6 adj select\$5 adj transistor	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/09/08 08:20
S12	3	S10 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/09/08 08:20

S13	264	S7 and voltage adj generator	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/09/08 08:21
S14	3	S13 and variable adj voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/09/08 08:22
S15	0	S11 and MOS adj "capacitor."	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/09/08 08:22
S16	0	S13 and MOS adj "capacitor."	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/09/08 08:22
S17	0	S13 and MOS near5 "capacitor."	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2003/09/08 08:25
S18	4	(("4677742") or ("4599705")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/09/08 08:26
S19	2	("5909049").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2003/09/08 08:26
S21	22	((("4490900") or ("5578848") or ("6034893") or ("6064595") or ("6157568") or ("6214666") or ("6215140") or ("6232631") or ("6282123") or ("6294809") or ("6297103"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/06 21:53
S24	2	"20040208055"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/01 19:27
S25	2	"20040223370"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/01 19:27
S26	4	S24 or S25	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/01 19:27

S27	4	("5675547" or ("6421293")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/01 19:36
S29	6	("6671040" or ("6667902") or ("6798693")).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2005/12/01 19:41
S30	2	"20040008538"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/01 19:42
S31	7	S29 or S30	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/01 19:42
S32	2	"20040208055"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/06 21:34
S34	11	"6798693" "20040008538" "6671040" "20030063518" "20040223370"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/06 22:11
S35	183	non\$volatile adj memory and gate adj oxide near3 breakdown	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/06 22:16
S36	11	S35 and method near2 test\$7	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/06 22:12
S37	113258	non\$volatile adj memory	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/06 22:16
S38	39	S37 and appl\$6 adj2 test\$5 adj voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/06 22:28
S39	18	S38 and measur\$7 near2 current	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/06 22:17
S40	13	S39 and reference near3 voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/06 22:18

S41	13	S39 and reference near2 voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/06 22:18
S42	9	S39 and reference adj voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/06 22:18
S43	2	"20040208055"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/06 22:20
S44	410	S37 and Fowler\$Nordheim near2 current	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/06 22:21
S45	3	S44 and appl\$6 adj2 test\$5 adj voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/06 22:27
S47	36	Kilopass.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/06 22:28
S48	2	S47 and appl\$6 adj2 test\$5 adj voltage	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/12/06 22:29